

Remedy LLC
 Tel: 6095027652
 License #: PAAA-NK4P-TXTD


Batch ID: 22100-09171-5
 Strain: Lemon Twizzer
 Sample Received: 04/11/2022
 Report Created: 04/18/2022



Pesticides	Mycotoxins	Microbials	Residual Solvents
Pass	Pass	Pass	Pass
Heavy Metals	Foreign Matter	Moisture Content (<15%)	Water Activity (<0.65aw)
Pass	Pass	N/A	N/A

Cannabinoids Method: SOP-C01

Analyte	Mass (%)	Mass (mg/g)	LOQ (ug/g)
THCA	65.416	654.16	1.00
Δ9-THC	17.44	174.40	1.00
Δ8-THC	0	0.00	1.00
THCV	0	0.00	1.00
CBDA	0	0.00	1.00
CBD	0	0.00	1.00
CBDV	0	0.00	1.00
CBN	0.304	3.04	1.00
CBGA	1.84	18.40	1.00
CBG	0	0.00	1.00
CBC	0	0.00	1.00
Total	85	850	
Total THC (dry):	74.8098	748.098	
Total CBD (dry):	0	0	



Terepenes Method: SOP-T01

Analyte	Mass (%)	Mass (mg/g)	LOQ (ug/g)
α-Pinene	0.06	0.6	0.01
Camphene	0.01	0.1	0.01
Myrcene	0.38	3.8	0.01
β-pinene	0.07	0.7	0.01
3-Carene	0.00	0	0.01
Terpinene	0.00	0	0.01
Ocimene	0.00	0	0.01
Delta-limonene	0.42	4.2	0.01
p-Cymene	0.00	0	0.01
β-Ocimene	0.00	0	0.01
Eucalyptol	0.01	0.1	0.01
γ-Terpinene	0.00	0	0.01
terpinolene	0.01	0.1	0.01
Linalool	0.23	2.3	0.01
Isopulegol	0.01	0.1	0.01
Geraniol	0.00	0	0.01
Caryophyllene	1.62	16.2	0.01
Humulene	0.57	5.7	0.01
Nerolidol	2.65	26.5	0.01
Guaiol	0.11	1.1	0.01
Caryophyllene oxide	0.17	1.7	0.01
α-Bisabolol	0.37	3.7	0.01
Total (dry)	6.69	66.9	

Total THC=(THCa*0.877 + Δ9-THC)/(1-moisture)

Total CBD=(CBDa*0.877 + CBD)/(1-moisture)

LOQ = Limit of Quantitation; the reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Measurement Uncertainty is available upon request.

Testing environment: Temp 70 ° F; Humidity 51%

The results relate only to the items tested, calibrated or sampled.

LOQ = Limit of Quantitation; the reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Measurement Uncertainty is available upon request.



Lab Director: Dr. Luke Wang

Remedy LLC
 Tel: 6095027652
 License #: PAAA-NK4P-TXTD

Batch ID: 22100-09171-5
 Strain: Lemon Twizzer
 Sample Received: 04/11/2022
 Report Created: 04/18/2022

Pesticides Method: SOP-P01, tested at Elevate Scientific

Analyte	LOQ (ppm)	Action level (ppm)	Detection (ppm)	Status
Abamectin	0.02	0.5	0	Pass
Azoxystrobin	0.02	0.2	0	Pass
Bifenazate	0.02	0.2	0	Pass
Etoxazole	0.02	0.2	0.131	Pass
Imazalil	0.02	0.2	0.043	Pass
Imidacloprid	0.02	0.4	0	Pass
Malathion	0.02	0.2	0	Pass
Myclobutanil	0.02	0.2	0	Pass
Permethrin	0.02	0.2	0	Pass
Spinosad	0.02	0.2	0	Pass
Spiromesifen	0.02	0.2	0	Pass
Spirotetramat	0.02	0.2	0.162	Pass
Tebuconazole	0.02	0.4	0	Pass

Microbiological Testing Method: SOP-MB01

Analyte	Action (cfu/g)	Detection (cfu/g)	Status
Aspergillus	1	ND	Pass
Yeast & Mold	10000	ND	Pass
E.coli	1	ND	Pass
Salmonella	1	ND	Pass

Moisture Content Method: SOP-M01

Water Activity Method: SOP-W01

N/A N/A

Heavy Metals Method: SOP-HM01

Analyte	LOQ (ppm)	Action (ppm)	Detection (ppm)	Status
Arsenic	0.05	0.2	ND	Pass
Cadmium	0.05	0.2	ND	Pass
Lead	0.05	0.5	ND	Pass
Mercury	0.05	0.1	ND	Pass



Lab Director: Dr. Luke Wang

Remedy LLC
 Tel: 6095027652
 License #: PAAA-NK4P-TXTD


Batch ID: 22100-09171-5
 Strain: Lemon Twizzer
 Sample Received: 04/11/2022
 Report Created: 04/18/2022

Residual Solvent Method: SOP-RS01

Analyte	LOQ (ppm)	Action level (ppm)	Detection (ppm)	Status
Acetone	1	1000	ND	Pass
Benzene	1	2	ND	Pass
Butane	1	1000	250	Pass
Ethyl Acetate	1	1000	ND	Pass
Heptane	1	1000	ND	Pass
Hexane	1	60	ND	Pass
Isopropyl alcohol	1	1000	ND	Pass
Methanol	1	600	ND	Pass
Pentane	1	1000	ND	Pass
Propane	1	1000	ND	Pass
Toluene	1	180	ND	Pass
Total Xylenes	1	430	0	Pass
Ethanol	1	5000	ND	Pass

Mycotoxin Method: SOP-MY01

Analyte	LOQ (ppm)	Action level (ppm)	Detection (ppm)	Status
Aflatoxins B1	ND	-	ND	-
Aflatoxins B2	ND	-	ND	-
Aflatoxins G1	ND	-	ND	-
Aflatoxins G2	ND	-	ND	-
Ochratoxin A	2.0	20.0	ND	Pass
Total Aflatoxins	2.0	20.0	0	Pass



Lab Director: Dr. Luke Wang